London and South East of England Burn Network

NHS

CONTACT DETAILS



www.trips.nhs.uk

St Andrews Burns Service Broomfield Hospital (Chelmsford) Adults/Children **01245 516037**

Chelsea & Westminster Hospital (London) Adults 02033152500 Children 02033153706

Queen Victoria Hospital (East Grinstead) Adults **01342 414440** Children **01342 414469**

Stoke Mandeville Hospital (Aylesbury) Adults and Children **01296 315040**

SUPERFICIAL/ ERYTHEMA	 Involves epidermis only Red Brisk capillary refill Skin is dry and intact No blisters Painful Erythema not included in %TBSA Heals within 3-7 days with analgesia & application of non-perfumed moisturiser 	
SUPERFICIAL PARTIAL THICKNESS	 Pale pink/red Brisk capillary refill Exudate present Intact or collapsed blisters may be present Painful Should heal within 14-21 days with non-adherent & absorbent dressings Refer to Blister Management Guideline Refer to local Burn Service if >3% (adults) & >1% (children) 	
DEEP DERMAL	 Dark pink/red or white Mottled, stained, cherry red Delayed or absent capillary refill Dull/variable sensation Surgical intervention may be required Circumferential burns need urgent discussion Refer to local Burn Service 	and
FULL THICKNESS	 White, black, brown or yellow Dry and leathery Thrombosed vessels may be visible Eschar may be present No capillary refill No sensation Surgical intervention & long term scar management required Circumferential burns need urgent discussion Refer to local Burn Service 	

Adapted with permission from the Dutch Burns Foundation © Nederlandse Brandwonden Stichting

Burn Depth Assessment

All burn injuries that fall within the Burn Referral Criteria should be discussed with

the local Burn Service

LSEBN guidelines are available via TRIPS Help & Information on www.trips.nhs.uk

Telephone support and advice on initial care of any patient with a burn injury

is available at all times